

ICEtrekkers



DIAMOND GRIP™ TRACTION ITR06004 (S), ITR06005 (M), ITR06006 (L), ITR06007 (XL), ITR06029 (2XL)

- Case hardened steel alloy beads strung on steel aircraft cable
- Rubber slings secure to footwear
- Remains flexible in sub-zero temperatures

DEVISYS®



HEELSTOP DEVK1-M/DEVINT-M* (M), DEVK1-L/DEVINT-L* (L), DEVK1- XL/DEVINT-XL* (XL), DEVK1- 2XL/DEVINT-XXL* (2XL)

- Intrinsically safe tungsten carbide studs*
- Covers entire heel
- Freeze-resistant rubber
- Velcro® strap

Geroline Inc. Industrial Safety Products



- ### MID-SOLE ICE CLEATS GERK1MID (original), -LP (low profile), -HP (high profile), -INT (intrinsically safe), -INT-HP (intrinsically safe/low profile)
- Tungsten carbide studded cleats
 - Hi-viz strap
 - Reflective patch
 - One size

Olympia®



- ### IHOT AIR ACTIVATED PACKS SAF30832HOT (hands) SAF30833HOT (toes)
- Hand warmers work up to 12 hours
 - Toe warmers with adhesive backs work up to 6 hours
 - 2/PK

BDG® BOB DALE GLOVES



ONE-HOLE BALACLAVA BDG90-0-510

- Acrylic
- Black



NECK WARMER BDG90-0-500

- Acrylic
- Red



- ### LINED TOQUE PIO5563A (black) PIO5564A (orange)
- 100% acrylic knit
 - Universal fit



- ### THERMAX FR/AR HEADWEAR ATW901NB (Neck warmer) ATW902NB (Knit toque) ATW903NB (Balaclava)
- ATPV: 28 cal. CAT 3 (HRC 3)
 - Meets CAN/CGSB 155.20, CAN/CGSB



FR/AR ROYAL INSULATED PARKA

- #### ATW2191RB
- Dual hazard FR/AR protection
 - Shell: 88% cotton 12% nylon
 - Insulation: 14oz. FR modacrylic lining
 - D-ring opening
 - Life-time flame-resistant quality
 - Shoulder straps suitable for H2S monitors
 - Royal blue



FR/AR BIB ATW3072RB

- Dual hazard FR/AR protection
- Pre-shrunk 8oz 88% cotton & 12% nylon
- Heavy-duty 2-way Aramid zippers
- 8 pockets
- 2 mic loops
- Royal blue

INLAND

Industrial Supply Ltd.

YOUR Everything You Need for Winter STORE



**JUMP START®
STARTING FLUID
CRC75671**

- For fast starts in cold, humid conditions
- 311 g aerosol




**ICE OFF®
CRC75346**

- Windshield de-icer
- Thaws frozen locks
- Effective to sub-zero temperatures
- 340 g aerosol



50/50 READY-TO-USE ANTIFREEZE

- KLOKL-CH-8950** (Green, universal)
- KLOKL-CH-9150** (Yellow, auto)
- KLOKL-CH-9350** (Red, heavy-duty)
- KLOKL-CH-9550** (Gold, all engines)
- 4 L jug



ICE MELTER

- PPSP20*** (Polar Plus)
- YKGM20**** (Yukon Gold)
- Contains calcium chloride
- Effective to -22°C, green marker*
- Effective to -31°C, Indigo marker**



**WINDSHIELD
WASHER FLUID
RCHWWAF**

- Methanol-based
- Rated to -35°C
- 3.78 L



**DIESEL EXHAUST
FLUID
RCHDEF946**

- For vehicles using SCR technology
- 9.46 L



BRIP011000



BRIP010912BL



EXTCORD-12/3X50-TLE
EXTCORD-12/3X100-TLE



BRIC000302
BRIC000305

EXTENSION CORDS

- Rated to -40°C
- BRIP011000**
- 16/3 SJTW, 3 outlets, 10 ft
- BRIP010912BL**
- 12/3 SJTW, lit ends, 50 ft
- EXTCORD-12/3X50-TLE**
- 12/3 SJTW, lit ends, 50 ft
- EXTCORD-12/3X100-TLE**
- 12/3 SJTW, lit ends, 100 ft
- BOOSTER CABLES**
- 500A clamps, zinc-plated
- PVC grips, TPR jacket, 100% copper wire
- BRIC000302**
- 2 gauge, 20 ft
- BRIC000305**
- 4 gauge, 12 ft



**CERAMIC HEATER
BRIH005135**

- Power indicator light with two heat settings
- 4-position switch
- Adjustable thermostat
- 120V, 750/1500 watts



**FAN-FORCED HEATER
BRIH005108**

- Two heat settings & fan-only setting
- Adjustable thermostat
- 120V, 1300/1500 watts



**CONSTRUCTION HEATER
BRIH005121**

- 4800 W / 240 V / 60 Hz
- 16380 BTU / 30 A plug
- Adjustable thermostat
- Overheat protection
- 6-ft heavy duty power cord
- Metal construction



**LED LIGHT BULB
LIG060LED**

- 60W
- 800 lumens



**ROUGH SERVICE BULB
LIG100RS**

- 100W
- Resists breakage or shattering, impact & moisture



INLAND

Industrial Supply Ltd.

YOUR Everything You Need for Winter STORE



ICE SCRAPERS

- Hardwood handles
- GARNHSW7** (54" x 7")
- Stamped & tempered steel blade
- GARYFSW9** (57" x 8.5")
- Forged & tempered steel blade



GARNHSW7 GARYFSW9



SNOW PUSHERS

- GARNP139KD** (13.9")
- GARNPP21KD** (21")
- GARNPP26KD** (26")
- Polyethylene blade
- D-handle



GARNP139KD GARNPP21KD
GARNPP26KD



BARRIER FENCING STEEL T-POST VAN4204-0856

- 6 ft, unpainted
- Angled stud



TELESCOPIC DUAL HEAD SNOW BRUSH GAR83245

- Extends from 38" to 54"
- Pivoting head with bristles & foam side
- Double-sided window scraper with teeth



GARN83245

SNOW BRUSH/ABS ICE SCRAPER GAR80050

- 35" straight head brush
- Aluminum handle with comfort grip



GAR80050

MAL203CT



SNOW BRUSH & ICE SCRAPER MAL203CT

- 24" wooden handle



3600 WATT DIGITAL INVERTER GENERATOR BEPBE3600IE

- 25 amp, 120 volts, 212 cc
- Sound dampening shell
- Folding handle & wheels



3500 WATT GENERATOR BEPBE3500PS

- 24 amp, 120 volts, 208 cc
- Powder coated steel roll cage
- Automatic low-oil shutdown



RUBBER PROPANE HOSE ASSEMBLY FAII6C600FS6FS6

- 3/8" ID x 600" AOL Type 1
- 3/8" 45° SAE female swivel flare, both ends
- -50°C to 100°C



PROPANE REGULATOR ARCAK-PROPANEREGULATOR

- 3/8" SAE hose fittings




LIQUID TORCH PRLFT6-7

- 700,000 BTU, 2 ft handle



ALKALINE BATTERIES

- RAYAL9V (9V)
- RAYALAA (AA)
- RAYALAAA (AAA)
- RAYALC (C)
- RAYALD (D)



SNOW/SAFETY FENCING

- PIO777** (50 ft)
- PIO778** (100 ft)

- Heavy-duty 230 GSM extruded polyethylene
- Wind- and snow-resistant
- Controls drifting snow & sand
- 4 ft wide, orange



TIGER TORCH KIT TGRDTK21EF-20W

- Kit: 20 ft hose, torch, regulator, excess flow protection, fittings, hose assembly



INDUSTRIAL ALKALINE BATTERIES

- ENREN21 (9V)
- ENREN91 (AA)
- ENREN92 (AAA)
- ENREN93 (C)
- ENREN95 (D)



INLAND

Industrial Supply Ltd.

YOUR Everything You Need for Winter STORE

Milwaukee



- M18™ REDLITHIUM™ BATTERY**
MIL48-11-1850 (5.0 Ah)
MIL48-11-1865 (6.0 Ah)
MIL48-11-1880 (8.0 Ah)
- Lithium-ion battery pack
 - Compatible with M18™ tools

Milwaukee



- M18™ ROVER™ FLOOD LIGHT**
MIL2361-20
- 1500 lumens
 - IP65 rated for water & dust
 - High/low modes

Milwaukee



- M18™ ROVER™ MOUNTING FLOOD LIGHT**
MIL2365-20
- 1500 lumens
 - Folding & rotating light head
 - IP54 rated for water & dust

Southwire



- LED WORK LIGHT**
SWTCSW1X1 (1500 lumens)
SWTCSW5X1 (5000 lumens)
- Ratcheting floor stand
 - 360° rating head
 - 18/3 SJTW cord

Milwaukee



- M18™ ROCKET™ TOWER LIGHT/CHARGER**
MIL2136-20
- 6000 lumens
 - 3 pivoting light heads
 - Powered by M18™ or extension cord
 - IP54 water- & dust-resistant

Southwire



- DUAL HEAD LIGHT W/ TRIPOD**
SWTCSW10X2
- 10,000 lumens per head
 - Quick-release dual head base
 - 18/3 SJTW cord

CENTURY WIRE AND CABLE



- PORTABLE LIGHT STRINGS**
- Temp range 60° to -40°C
 - Caged sockets every 10 ft
 - CEND12012050** (50 ft)
 - 5 sockets, 12/3 SJT, 600 V
 - CEND11912100** (100 ft)
 - 10 sockets, 12/3 SJTW, 300 V

CENTURY WIRE AND CABLE



- SELF-RIGHTING LED SITE LIGHT**
WBL111303LED
- 15,000 lumens
 - 32" H LED 220W, 5 ft cord
 - IP55 rated for dust & moisture

EVEREADY



- HEAVY-DUTY LED FLASHLIGHT**
EVE1251L
- 35 lumens
 - Water- & impact-resistant

COAST



- PURE BEAM FOCUSING LED G32**
COA20484
- 465 lumens
 - IP54 storm-proof & dust-resistant

INTRINSICALLY SAFE

COAST



- HZ040 I-SAFE FLASHLIGHT**
COA30044
- 165 lumens
 - Full, strobe & low options

COAST



- HZ050 I-SAFE FLASHLIGHT**
COA30047
- 270 lumens
 - Magnetic tail cap

COAST



- INSPECTION BEAM PENLIGHT G20**
COA21507
- Inspection beam optic
 - Impact- & weather-resistant

Energizer



- VISION FLASHLIGHT HEADLAMP**
ENRHDA32E
- 200 lumens
 - Pivoting head
 - 35 m beam distance

COAST



- HZ025 I-SAFE HEADLAMP**
COA30049
- 230 lumens
 - White/red beam

Energizer



- FLASHLIGHT HEADLAMP**
ENRENISHD32E1
- 130 lumens
 - Fits hard hats